


Assembly Instructions




ASSEMBLY RATING

The Assembly Rating is a 5-point system that shows the degree of effort needed in assembling a specific product (with 1 being easy and 5 being difficult). For some products, two persons are recommended.

EASY  DIFFICULT

Tools Required For Assembly:

Allen Wrench




(Included)

Wrench



(Included)

Phillips Screwdriver



(Not Included)




2 PERSONS RECOMMENDED


ASSEMBLY & CARE ADVICE

FOR YOUR FURNITURE TO LAST, CORRECT ASSEMBLY AND PROPER MAINTENANCE ARE NECESSARY. PLEASE FOLLOW THE INFORMATION PROVIDED BELOW TO FULLY ENJOY YOUR FURNITURE.


BASIC ASSEMBLY TECHNIQUES




When lock or spring washer is used in an assembly, please make sure the lock or spring washer is placed between the larger flat washer and the head of the screw or bolt.




Position each part correctly and insert screws or bolts into their respective holes by hand tighten or using the proper hand tool. Only tighten when step is completed or when instructed to do so.




Use cardboard or carpet area when assembling furniture to prevent scratches. Make sure the furniture rests on a flat and level surface with each leg evenly touching the floor.



Some furniture comes with height adjustment knobs underneath each leg. To lower or to raise each leg, you need to turn clockwise or counterclockwise, respectively.



Make sure all parts are properly aligned, then use the appropriate hand tool to completely tighten the bolts or screws. Do not use power tools and do not overtighten.




Save the instructions and store the Allen wrench or any supplied tool for later maintenance. After two weeks, check and tighten any loose hardware and repeat again every six months thereafter.

IT IS THE USER'S RESPONSIBILITY TO MAINTAIN THE FURNITURE. THE HARDWARE MAY LOOSEN OVER TIME AND MAY CAUSE THE FURNITURE TO BE WOBBLY AND UNABLE TO SUPPORT ITS INTENDED WEIGHT CAPACITY. THIS MAY LEAD TO COLLAPSE AND MAY CAUSE SERIOUS INJURY.



FAILURE TO FOLLOW THE GUIDELINES ABOVE MAY RESULT IN INJURY AND/OR PROPERTY DAMAGE.



Before you begin, please read Page 2 of "Assembly and Care Advice".


And remember, do not tighten until each step is completed or instructed.

Parts List


Hardware List



#1 x 1pc
Headboard Panel




#A x 12pcs
Bolt Ø5/16" x 2"



#2 x 2pcs
Headboard Leg (L&R)



#B x 12pcs
Lock Washer Ø5/16"



#3 x 1pc
Footboard



#C x 12pcs
Flat Washer Ø5/16"




#4 x 2pcs
Side Rail




#D x 1pc
Allen Key 4mm



#5 x 1pc
Headboard Support




#E x 15pcs
Screw #4 x 30mm



#6 x 1set
Bed Slat 13pcs




#F x 8pcs
Threaded Pins Ø5/16" x 3-1/2"



#7 x 2pcs Ø1/4
Support Leg 28 x 28 x 170mm



#G x 8pcs
Hex Nut Ø5/16"




#8 x 5pcs Ø1/4
Support Leg 28 x 28 x 390mm



#H x 1pc
Wrench 14mm

Parts List


Hardware List




#9 x 1pc
Slat Center Support



#1 x 8pcs
Nut Ø5/16"



#10 x 2pcs
Dusty Panel







A x 12pcs
B x 12pcs
C x 12pcs

2) Align HB legs (#2R/L) to the holes of the headboard (#1), then secure by using bolts (#A) with washers (#B,C).

1) Align HB support (#5) to the holes of the HB legs (#2R/L), then secure by using bolts (#A) with washers (#B,C).



1) Use a small amount of force to pull the drawers out from the footboard (#3).




2) Attach support legs (#7) to the holes of the footboard (#3). Adjust leveler on the support legs (#7) according to ground level.




#E x 5pcs

Align slat center support (#9) to the holes of the slat kit (#6), then secure by using screws (#E).




Attach slat support legs (#8) to the holes of the slat center support (#9). Adjust the leveler of the support legs (#8) according to ground level.






#F x 8pcs
#G x 8pcs
#I x 8pcs

Attach threaded studs (#F) to the holes of the headboard (#1) and footboard (#3), then align side rails (#4) to the threaded studs (#F) of the headboard (#1) and footboard (#3). Secure by using washers (#I) and hex nuts (#G).





#E x 10pcs

Align slats to the side rails, then secure by using screws (#E).





Place dusty panels (#10) to the bed frame.



ASSEMBLY IS COMPLETED